

Date received: 08/07/16

Date of issue: 13/07/16

Report consists of 1 test report.

Defects before testing: None

Sample name: POLTRONA ESTER

PEDRALI S.P.A.
STRADA PROVINCIALE 122
24050 MORNICO AL SERIO (BG)
ITALIA**SAMPLE N° 217337**

Overall dimensions: 585 x 590 x 820 (h) mm

List performed tests:

1. Leg sideways static load test EN 1728:2012+AC:2013



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

SAMPLE N° 217337

Date of issue: 13/07/16
Sample weight: Not determined
Sample name: POLTRONA ESTER



Side view



Rear view



Bottom view

TEST REPORT**217337 / 1**Date received: 08/07/16
Date of test: 12/07/16
Date of issue: 13/07/16

Sample name: POLTRONA ESTER

PEDRALI S.P.A.
STRADA PROVINCIALE 122
24050 MORNICO AL SERIO (BG)
ITALIA**Leg sideways static load test EN 1728:2012+AC:2013**

Leg sideways static load test clause 6.16

Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
760	1.800	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L2 - extreme.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.